Orginal Article Open Access

Evaluation of Quality of Root Canal Obturation, Coronal Restoration and Periapical Health in Failed Endodontically Treated Teeth

Syed Adeel Ahmed, Safia Anwar, Imtiaz ul Haq

ABSTRACT

Objective: To investigate the implication of quality of obturation and coronal restoration on periapical tissue in failed endodontically treated teeth.

Study Design and Setting: This cross-sectional research was performed in the Operative Department of BUMDC on 187 patients reporting with root canal failure from March 2019 to August 2019.

Methodology: Patients of both genders aged between 20-60 years were considered for this study. Single and multirooted teeth indicated for repeated endodontic treatment due to under filled, overfilled obturation, voids in obturation, absence and presence of coronal restoration were included. One operator carried out clinical examination of the teeth and periapical radiograph was taken for each patient by using E-Speed film and evaluated by the same operator using an illuminated viewer box. SPSS 17 for windows software was used for data entering and chi-square test was applied for statistical calculation of the outcomes.

Results: Total n=187 endodontic treated failed teeth were evaluated, out of which 52.9% were of females and 47.1% to males. The number of obturations with acceptable length were 81(43.3%), with adequate density were 107 (57.2%) and with consistent taper were 116(62%). Periapical lesion was observed in 118(63.1%) cases. Quality of obturation significantly affects the periapical health. Cross tabulation showed a significant association (p-value <0.000) between inadequate coronal restoration and changes in periapical area.

Conclusion: The successful prognosis of the root canal treatment relies on the good quality of obturation and adequate coronal filling.

Keywords: Coronal restorations, Obturation, Radiographic assessment, Root canal treatment.

How to cite this Article:

Ahmed SA, Anwar S, Ul-Haq I. Evaluation of Quality of Root Canal Obturation, Coronal Restoration and Periapical Health in Failed Endodontically Treated Teeth. J Bahria Uni Med Dental Coll. 2021; 11(2):54-59 DOI: https://doi.org/10.51985/WHTJ7349

This is an Open Access article distributed under the terms of the Creative Commons Attriution Non Commercial Liciense (http:// creativecommons/org/licences/by-nc/4.0) which permits unrestricted non commercial use, distribution and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION:

The favorable outcome of endodontic treatment is dependent on complete debridement of the root canals, extirpation of affected pulpal tissues, microbes, and hermetic seal of the system to inhibit the reinfection of the root canals. The literature reveals that various reasons are considered accountable for root canal treatment failure such as incomplete pulpectomy, fractured instruments, missed canals, perforation during canal preparation, overextended and underfilled obturation. The American Association of Endodontists (AAE), described a criteria

Syed Adeel Ahmed

Senior Lecturer, Department of Operative Dentistry Bahria University Medical and Dental College, Karachi Email: dr.syedadeelahmed@gmail.com

Safia Anwar

FCPS Resident Operative Dentistry Fatima Jinnah Dental College, Karachi

Imtiaz ul Haq

Lecturer, Department of Operative Dentistry Bahria University Medical and Dental College, Karachi

Received: 30-09-2020 Accepted: 05-03-2021 based on clinical and radiographic parameters for evaluating the technical success of obturations.⁵

Clinically, for a successful endodontic treatment, percussion, palpation, periodontal pocket depth, and comprehensive checkup of the final coronal restoration should show normal features during periodical follow-up visits. The length, shape and density of the obturation should be assessed radiographically.6 Current research has revealed a positive correlation between the condition of root canal treatment, the quality of definitive restoration and a patient's periapical condition. The excellence of quality of obturation is determined by various factors, such as consistent taper of the canal from orifice to apex, compact root canal filling without spaces, and obturating materials 0.5-2 mm short of the radiographic apex. 7,8 So there is an increase in the failure rate by 14% after every subsequent loss of 1mm in length in teeth with associated apical periodontitis. Underfilled and overfilled obturations also jeopardize the success rate of root canal treatment. 10 The condition of definitive coronal restoration also has an influence on the periapical tissue of teeth that have undergone root canal treatment. 11 The result of an underfilled root canal obturation can be satisfactory, if the definitive coronal restoration

is qualitatively adequate. 12 Conversely a tooth having a cleaned and well obturated root canal system but with poor definitive restoration, may fail soon.¹³ Numerous observational researches revealed the incidence of insufficiently obturated root canals in relation to normal periapical tissue, and epidemiological statistics have shown various treatment consequences in different regions of the world, with prevalence's of inadequate root canal obturation of up to 72.4%, and with 87.0% of these teeth presenting apical periodontitis. 14,15,16 Acceptable endodontic treatment according to the European Association of Endodontists displays a consistent taper in the canal from coronal to apical portion and densely filled with no voids between the obturating material and canal wall. To prevent post treatment failure, obturation should be no more than 0-2 mm short of the radiographic apex.¹⁷ Research has established that obturation more than 2 mm short of the radiographic apex, extruded past the apex and nonhomogeneous with spaces between the fillings enhance the risk of root canal treatment failure. 18 This study identifies the reasons, primarily accountable for the root canal failures, so highlighting the aspect that significant steps should be taken to enhance the contemporary dental practice in relation to quality of endodontic therapy. Therefore, the primary aim of this study was to assess the effect of quality of obturation and coronal restoration on the health of periapical tissue in failed root canal treated teeth.

METHODOLOGY:

This descriptive cross sectional study was carried out at the Endodontic Department of BUMDC after approval by the college ethical committee (ERC no. 014/2019). Sample size was estimated from openepi.com software. The conditions were 95% confidence interval, 5% margin of error. Population size was estimated to be 360 (secondary source of information collected from selected colleges) at a prevalence rate of 50%. The required sample size was drawn to be 187 patients. A total of 187 patients during the period from March 2019 to August 2019, reporting to the Endodontic Department of the College with root canal treatment failures were studied clinically radiographically. Informed consent was taken from the patients. Patients of both genders, aged between 20-60 years, multirooted and single rooted tooth indicated for repeated endodontic treatment due to underfilled and overfilled obturation, voids in obturation, absence and presence of coronal restoration were included in the study. Patients having periodontally compromised teeth, third molar, non-restorable teeth, dilacerated teeth, teeth with perforations and canals with separated instruments were excluded. One operator carried out clinical examination of the teeth and soft tissues. And periapical radiograph was taken for each patient. All periapical radiographs were taken with an Endograph DC X-ray unit (Villa Sistemi Medicali S.p.A. Italy) using E-Speed film (Eastman Kodak)

using cone indicating devices to minimize distortion and processed with liquid fixer and developer according to the manufacturer's guidelines. The periapical radiographs were assessed by the same operator with an illuminated viewer box for variables such as quality of obturation and status of the apical tissue according to the guidelines provided by De Moor et al. and evaluation of coronal restorations was done by criteria recommended by Siqueira et al (Table 1). The data from radiograph was documented on a proforma specially designed for the study. Definition of all criteria is explained in proforma. To evaluate the procedural quality of root canal obturation on radiograph, three criteria were evaluated as monitors: Length of root canal filling, which includes three parameters: 1. Adequate: Obturating material is within the confines of the root canal system and no more than 2 mm of the radiographic apex; Under-filled: Obturating material is more than 2 mm short of the radiographic apex; Over-filled: Obturating material is extruding past the radiographic apex. 2. Compactness of obturating material which includes two parameters: the presence or absence of spaces within the root canal obturating material or between the root canal walls and obturating material. 3. Taper: Presence and absence of constant taper from the orifice of the root canal to the apex.


The technical quality of the obturation was considered adequate if the obturation terminated from 0-2 mm of the apex radiographically with no obvious voids within the obturating material or between the root canal walls and the material and steady taper from the coronal to the apical portion. In contrast, the technical quality of the obturations was considered insufficient when one or more of the aforementioned parameters were absent. Teeth with intact coronal restorations were considered acceptable. In teeth where coronal restorations were completely dislodged, partially fractured or had insufficient marginal seal were considered insufficient. SPSS 17 for windows software was used for data entering and statistical analysis. Chi-square test was applied to evaluate the influence of the quality of obturation, coronal restorations on the health of periapical tissue and p value < 0.05 was considered significant.

RESULT:

Total n=187 endodontically treated teeth were evaluated amongst which 47.1% belonged to men and 52.9% belonged to female. (Fig. 1) The mean age of the patients was 35.54 [S.D±9.087] years. Out of 187 Root canal failed teeth, 107 (57.2%) were present in mandibular and 80 (42.8%) belonged to maxillary arch. The most prevalent teeth were molars 78 (41.7%), followed by 64 (34.2%) premolars and 45 (24.1%) anteriors. (Table 2) The number of root canal obturations with acceptable length was 81 (43.3%), with acceptable density were 107 (57.2%), and with consistent taper were 116 (62%). Inadequate length of obturation was recorded in 106 (56.7%) of cases, while non-homogenous filling was noted in 80 (42.8%) teeth and inadequate taper

was observed in 71 (38%) cases. Periapical lesion was observed in 118 (63.1%) cases. Quality of obturation (length p-value 0.00, density p-value 0.00, and taper p-value 0.00) significantly affects the periapical health. (Table 3) Considering the type of tooth, the majority of the endodontic failures were observed in molars (n=46) 38.98% followed by premolars (n=43) 36.44%, while the anteriors (n=29) 24.58% showed the least endodontic failures. The condition of the coronal restoration was unacceptable in 74 (39.6%) cases, while in 113 (60.4%) cases coronal restorations had satisfactory quality. Cross tabulation between leakage from inadequate restoration periapical alterations showed significant association with p-value 0.000 (Table 4). There was no significant difference (p>0.05) among the tooth-type (Anteriors, premolars and molars) and periapical lesion. There was also no significant association (p>0.05) between arch and periapical health.

Figure 1: The mean age of the patients



DISCUSSION:

It has been reported that there is a direct correlation between the quality of root canal filling, the result of root canal therapy and the health of periradicular tissues. The method using periapical radiographs constitute the most commonly employed method in the evaluation of endodontic treatments. If the endodontic treatment has not been done up to the adequate standards, the failure of endodontic management occurs. The key factors contributing to the failure of root endodontic treatment are the tenacious microorganisms in the root canal system and periradicular area. In the current study the most common factor attributing to the failure of endodontic treatment was inadequate length of the obturation (56.7%) in root canals.

Obturating material more than 2mm short of the radiographic apex usually occurs as the consequence of inadequate chemomechanical preparation, which usually arises as a result of erroneous working length calculation and insufficient irrigation of the root canal system, which consequently leads to endodontic failures. It was observed by Chugal et al that shortening the working length by 1 mm increases the risk of root canal treatment failure by 14% in teeth with established apical periodontitis. Endodontic treatment failure is also related to tooth position in the arch. The present study reveals that the majority of root canal treatment failures occurred in the molars (41.7%). This probably owes to the fact that these teeth are comparatively difficult to access and have a complex root canal morphology.

The overall widely recognized description behind root canal

Table 1. Criteria for radiographic evaluation of the quality of root canal fillings

	Acceptable	Acceptable condensation and extent of root cana filling with no mishap	
Quality of root canal fillings	Non-acceptable	Non-acceptable condensation and/or non- acceptable length of obturation with/without mishap	
	Acceptable	Obturating material confined within the root canal system and no more than 2 mm short of radiographic apex	
Length of the RCF	Non-acceptable	Obturation is more than 2 mm short of the radiographic apex	
	Non-acceptable	Obturation material is not confined to the root canal system and extruding beyond the radiographic apex	
	Acceptable	Consistent root canal filling, good condensation, no visible voids	
Density of the RCF	Non-acceptable	Poor Non-homogeneous root canal filling, poor condensation or voids present	
Taper of the RCF	Acceptable	Steady and uniform taper from the orifice to the apex of the canal, with reflection of the original shape of the canal	
Taper of the KCF	Non-acceptable	Poor Inconsistent taper from the coronal to the apical part of the filling	
	Acceptable	Restoration present	
Coronal restorations	Non-acceptable	Restorations missed, partly fractured	

treatment failure in the multirooted teeth was untreated or unfilled canals followed by underfilling of the root canal system. The percentage of obturations with steady taper was 62%, which was lower than that reported by Balto et al.²², Elemam et al.²³, Roman-Richon et al.¹⁹ The percentage of satisfactory density of obturations in the current study was 57.2%, which was lower than that reported by Elemam et al.²³ 2015, Kelbauskas et al.²⁴, and Roman-Richon et al.¹⁹

Table 2. Distribution of teeth within Arch, tooth type, quality of obturation, periapical lesion and coronal restoration N=187

		N=187	%
Arch	Maxillary arch	80	42.8
	Mandibular arch	107	57.2
	Anteriors	45	24.1
Tooth type	Premolars	64	34.2
	Molars	78	41.7
Length of root canal failed tooth	Adequate	81	43.3
	Inadequate	106	56.7
Density of root canal failed tooth	Adequate	107	57.2
	Inadequate	80	42.8
Taper of root canal	Adequate	116	62.0
failed tooth	Inadequate	71	38.0
Periapical status	Adequate	69	36.9
i ci iapicai status	Inadequate	118	63.1
Coronal restoration	Adequate	113	60.4
Coronar restoration	Inadequate	74	39.6

Table 3: Crosstabulation between quality of obturation, coronal restorations and health of periapical tissue

Quality of obturation		Periapical lesion		T 4 1	D 1
		Absent	Present	Total	P-value
Length of RCF	Adequate	58	23	81	
	Inadequate	11	95	106	0.000
	Total	69	118	187	
Density of RCF	Adequate	59	48	107	0.000
	Inadequate	10	70	80	
	Total	69	118	187	
	Adequate	60	56	116	
Taper of RCF	Inadequate	09	62	71	0.000
	Total	69	118	187	
Coronal restorations	Adequate	62	51	69	
	Inadequate	07	67	118	0.000
	Total	69	118	187	
Arch	Maxillary	37	43	80	
	Mandibular	32	75	107	0.032
	Total	69	118	187	
Tooth type	Anteriors	16	29	45	_
	Premolars	21	43	64	0.587
	Molars	32	46	78	0.507
	Total	69	118	187	

The rates of acceptable density in these studies were 75.8%, 79.5%, and 69%, respectively. However, our result was higher than that reported by Balto et al²² and Moussa-Badran et al 2008. In these studies, 34.9% and 42.7% of cases, respectively, had a dense root canal filling without voids. Radiographic evaluation of teeth showed obturations were satisfactory with respect to both length and consistency in 32.60% cases. In sixty-nine teeth assessed as improperly filled, 62 were related periapical infection. Inadequate coronal restorations compromise the coronal seal of the root canal fillings, which is as important, if not more, as the apical seal. A recent study mentioned that inadequate coronal restorations increase the occurrence of periapical lesion. This in accordance with the present findings.²⁶

Another study proved that with an odds ratio of 2.556, the health of periapical tissue with compact and accurate length of the obturation was more than twice if compared with poor quality of obturation $(p < 0.0001)^{27}$ A current meta-analysis proved an increased ratio of healing of periapical lesion with acceptable quality of both root canal therapy and coronal restoration, and poor clinical results in case of inadequate treatment and restoration.8 A recent study observed that 128 (6.2%) of the endodontically treated teeth showed acceptable consistency, satisfactory length of the root canal material, and concurrently acceptable coronal restoration, periapical lesion was found in 29.7% of these cases. On the other hand, the combination of inadequate endodontic obturation and poor coronal restoration did not result in periapical inflammation in every case.²⁸ Increase in laboratory training and adding of seminars would be beneficial for dentists to familiarize with necessary

Table 4: Crosstabulation between quality of obturation and coronal restorations

Quality of obturation		Coronal restorations		Total	P-value
		Adequate	Inadequate	Total	P-value
Length of RCF	Adequate	67	14	81	
	Inadequate	46	60	106	0.000
	Total	113	74	187	
Density of RCF	Adequate	81	26	107	
	Inadequate	32	48	80	0.000
	Total	113	74	187	
Taper of RCF	Adequate	81	35	116	
	Inadequate	32	39	71	0.000
	Total	113	74	187	
Arch	Adequate	54	25	80	
	Inadequate	58	49	107	0.000
	Total	113	74	187	
Tooth type	Anteriors	22	23	45	
	Premolars	41	23	64	0.147
	Molars	50	28	78	0.17/
	Total	113	74	187	

procedures and precautions required for managing molars in root canal treatment. The use of dental magnification such as magnifying loupes and operating microscopes while performing molar endodontics would enhance visualization of the treatment field and increase accuracy of the endodontic procedure.

It is recommended that correct case selection is very necessary and should be ensured to increase the success of the endodontic therapy. Also teeth with complicated anatomy should be carefully assessed by new radiographic techniques and referred to the endodontists. The limitations of the study included that others causes associated with failure of root canal treatment were not evaluated and one radiographic technique was used to judge the procedural mistake.

CONCLUSION:

This study concludes that success of the endodontic therapy depends on the quality of the root canal fillings and good quality of coronal restoration. Molar teeth are more challenging to treat endodontically due to their complex anatomy with the lack of knowledge, the deficiency of specific instruments and lack of training of these instruments.

ACKNOWLEDGMENT:

All authors of the study acknowledged the supervision of this project by Prof. Dr. Shama Asghar HOD Operative Dentistry, BUMDC.

Authors Contribution:

Syed Adeel Ahmed: Data Collection, discussion write-up

Safia Anwar: Writeup

Imtiaz ul Haq: Literature search

REFERENCES:

- Saatchi M, Mohammadi G, Sichani AV, Moshkforoush S. Technical quality of root canal treatment performed by Undergraduate clinical students of Ifshan Dental School. Iranian Endod J 2018; 1:30-36
- De Moor RJ, Hommez GM, De Boever JG, Delmé KI, Martens GE. Periapical health related to the quality of root canal treatment in a Belgian population. Int Endod J. 2000;33(2):113-20
- 3. Persoon IF, Buijs MJ, Özok AR, Crielaard W, Krom BP, Zaura E, et al. The mycobiome of root canal infections is correlated to the bacteriome. Clin Oral Investig. 2017;21:1871–81.
- Kanagasingam S, Lim CX, Yong CP, Mannocci F, Patel S. Diagnostic accuracy of periapical radiography and cone beam computed tomography in detecting apical periodontitis using histopathological findings as a reference standard. Int Endod J. 2017;50:417–26.
- American Association of Endodontists. Endodontics: Colleagues for Excellence. Available at: https://bestend.oglenview.com/wp-content/uploads/2012/04/Obturation-of-root-canal-systems.pdf. Accessed Mar 27, 2018.
- Alfouzan K, Baskaradoss JK, Geevarghese A, Alzahrani M, Alhezaimi K. Radiographic diagnosis of periapical status and quality of root canal fillings in a Saudi Arabian subpopulation. Oral Health Prev Dent. 2016;14:241–8.

- Huumonen S, Suominen AL, VehkalahtiMM. Prevalence of apical periodontitis in root filled teeth: findings from a nationwide survey in Finland. Int Endod J. 2017;50:229–36.
- 8. Dutra KL, Haas L, Porporatti AL, Flores-Mir C, Nascimento Santos J, Mezzomo LA, et al. Diagnostic accuracy of conebeam computed tomography and conventional radiography on apical periodontitis: a systematic review and meta-analysis. J Endod. 2016;42:356–64.
- Chugal NM, Clive JM, Spangberg LS. Endodontic infection: some biologic and treatment factors associated with outcome. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2003;96:81-90
- Cakici EB, Yildirim E, Cakici F, Erdogan AS. Assessment of periapical health, quality of root canal filling, and coronal restoration by using cone-beam computed tomography. Niger J Clin Pract. 2016;19:673–7
- 11. Nagaraja S. Quality of root canal obturation performed by senior undergraduate dental students. Int J Pub Health Sci. 2015;3:197-200.
- Oginni AO, Adeleke AA, Mejabi MO, Sotunde OA. Risk factors for apical periodontitis sub-urban adult population. Niger Postgrad Med J. 2015;22:105–9.
- Archana D, Gopikrishna V, Gutmann JL, Savadamoorthi KS, Kumar AR, Narayanan LL. Prevalence of periradicular radiolucencies and its association with the quality of root canal procedures and coronal restorations in an adult urban Indian population. J Conserv Dent. 2015;18:34–8.
- Van der Veken D, Curvers F, Fieuws S, Lambrechts P. Prevalence of apical periodontitis and root filled teeth in a Belgian subpopulation found on CBCT images. Int Endod J.2017;50:317–29.
- Nur BG, Ok E, Altunsoy M, Aglarci OS, Colak M, Gungor E. Evaluation of technical quality and periapical health of root-filled teeth by using cone-beam CT. J Appl Oral Sci.2014;22:502-8.
- Berlinck T, Tinoco JM, Carvalho FL, Sassone LM, Tinoco EM. Epidemiological evaluation of apical periodontitis prevalence in an urban Brazilian population. Braz Oral Res.2015; 29(1):1-7.
- European Society of Endodontology. Quality guidelines for endodontic treatment: consensus report of the European Society of Endodontology. Int Endod J 2006; 39(12):921–30.
- Csinszka K-IA-, Maria MA, Monica M, Mihai P, Angela B. Identification of the Procedural Accidents During Root Canal Preparation Using Digital Intraoral Radiography and Cone Beam Computed Tomography. Acta Medica Marisiensis. 2016; 62(3):326-329.
- Román-Richon S, Faus-Matoses V, Alegre-Domingo T, Faus-Llácer VJ. Radiographic technical quality of root canal treatment performed ex vivo by dental students at Valencia University Medical and Dental School, Spain. Med Oral Patol Oral Cir Bucal 2014; 19(1):e93-7.
- 20. Moradi S, Gharechahi M. Quality of root canal obturation performed by senior undergraduate dental students. Iran Endod J 2014; 9(1):66–70.
- Bierenkrant DE, Parashos P, Messer HH. The technical quality of nonsurgical root canal treatment performed by a selected cohort of Australian endodontists. Int Endod J 2008;41(7):561–70.

- Balto H, Al Khalifah Sh, Al Mugairin S, Al Deeb M, Al-Madi E. Technical quality of root fillings performed by undergraduate students in Saudi Arabia. Int Endod J 2010;43(4):292–300.
- 23. Elemam RF, Abdul Majid ZS, Groesbeck M, Azevedo ÁF. Quality of Root Canals Performed by the Inaugural Class of Dental Students at Libyan International Medical University. Int J Dent 2015; 2015:135120.
- Kelbauskas E, Andriukaitiene L, Nedzelskiene I. Quality of root canal filling performed by undergraduate students of odontology at Kaunas University of Medicine in Lithuania. Stomatologija 2009; 11(3):92–6.
- 25. Moussa-Badran S, Roy B, Bessart du Parc AS, Bruyant M, Lefevre B, Maurin JC. Technical quality of root fillings performed by dental students at the dental teaching centre in Reims, France. Int Endod J 2008; 41(8):679–84.

- Noor N, Maxood A, Kaleem K. Cross-sectional analysis of endodontic failure in PIMS. Pak Oral Dent J. 2008;28:99-102.
- AlRahabi MK. Technical quality assessment of root canal treatment performed by preclinical dental students at Taibah University, KSA. J Taibah Univ Med Sc 2017;12(1):27–33.
- 28. Aliuddin AM, Ali JZ, Sheikh A, Rashid S, Ali M, Abdullah F. Radiographic quality of root canal filling performed by house officers at a teaching institute in Karachi, Pakistan. J Pak Dent Assoc 2019;28(2):55-62.

