

Project Thesis

X band Low Noise Amplifier and

Ultra Broad Band Wilkinson Power Divider



Supervisor: Khawaja Qasim Maqbool

Group Members

Tahir Imran	01-133072-060
Tanveer Zahid	01-133072-063
Waseem Ahmed	01-133072-070

-: DEDICATION:-

We dedicate our final year project to our beloved and honorable parents. Without there support this project and above all our degree would not have been completed.

We would also like to dedicate this project to all our faculty members and our friends and to those who helped us in the completion of this project.

Table of Contents

Chapter No 1 Introduction	Error! Bookmark not defined.
1.1 Abstract.....	Error! Bookmark not defined.
1.2 Motivation.....	Error! Bookmark not defined.
1.3 Project Challenges	Error! Bookmark not defined.
1.4 Personal Challenges	Error! Bookmark not defined.
Chapter No 2 Literature Review	Error! Bookmark not defined.
2.1 List of Literature	Error! Bookmark not defined.
Chapter No 3 Broad Band Power Divider (2GHz – 18 GHz)	Error! Bookmark not defined.
3.1 Introduction:.....	Error! Bookmark not defined.
3.2 Broad Band Power Dividers and their Uses:	Error! Bookmark not defined.
3.3 Design Methodology.....	Error! Bookmark not defined.
3.4 Different Sections of power divider.....	Error! Bookmark not defined.
3.4.1 Input and output	Error! Bookmark not defined.
3.4.2 Quarter-Wave Transformers	Error! Bookmark not defined.
3.4.3 Isolation resistor.....	Error! Bookmark not defined.
3.4.4 Output ports	Error! Bookmark not defined.
3.5 Calculation of Length $\lambda/4$ Transformer	Error! Bookmark not defined.
3.6 Mat-lab Code to calculate length $\lambda/4$ transformer	Error! Bookmark not defined.
3.7 Advance Design System (ADS) LineCalc	Error! Bookmark not defined.
3.8 Chebyshev Multi-section Matching Transformers.....	Error! Bookmark not defined.
3.9 Final schematic Layout of the Wilkinson Power Divider.....	Error! Bookmark not defined.
Chapter No 4 Results and Conclusion	Error! Bookmark not defined.
4.1 Momentum Simulation Results.....	Error! Bookmark not defined.
4.2 Discussion and Conclusion	Error! Bookmark not defined.
Chapter No 5 X Band Low Noise Amplifier (LNA)	Error! Bookmark not defined.
5.1 Introduction.....	Error! Bookmark not defined.
5.2 Block Diagram of Components of Microwave Receiver	Error! Bookmark not defined.
5.3 Design Consideration.....	Error! Bookmark not defined.
5.4 Design Parameters	Error! Bookmark not defined.
5.4.1 Stability.....	Error! Bookmark not defined.
5.4.2 How to improve Stability of LNA	Error! Bookmark not defined.
5.5 Diode Selection:.....	Error! Bookmark not defined.

Chapter No 6 Simulation Results	Error! Bookmark not defined.
6.1 Simulation Results	Error! Bookmark not defined.
6.2 Practical Results:.....	Error! Bookmark not defined.
<u>6.2.1</u> Gain.....	Error! Bookmark not defined.
6.2.2 Input and output Return Loss (RL).....	Error! Bookmark not defined.
<u>6.2.3</u> Noise Figure.....	Error! Bookmark not defined.
<u>6.3</u> Conclusion	Error! Bookmark not defined.

List of Figures

Figure 3.1: Block diagram of basic power divider.....	12
Figure 3.2: ADS LinCalc tool.....	17
Figure 3.3: Schematic design of single section Broad Wilkinson Power divider.....	18
Figure 3.4: Final schematic design of Broad Wilkinson Power divider.....	21
Figure 4.1: Simulation Results S(1,1)	22
Figure 4.2: Simulation Results S(2,1)	23
Figure 4.3: Simulation Results S(3,1)	24
Figure 4.4: Stability of Wilkinson Power Divider	25
Figure 5.1: Block Diagram of Components of Microwave Receiver.....	27
Figure 5.2: Import S parameters of Transistor into the ADS.....	30
Figure 6.1: Shows the S parameters of the Transistor ARF36163.....	31
Figure 6.2: Stability of the transistor.....	31
Figure 6.3: Simulation results of stability of the transistor.....	32
Figure 6.4: ADS schematic for unconditionally stable transistor.....	34
Figure 6.5: Simulation Results for unconditionally stable transistor.....	35
Figure 6.6: gamma S and gamma L for designing LNA for maximum available gain...	37
Figure 6.7: Shows the complete the complete LNA design.....	38
Figure 6.8: Gain of the designed amplifier in the X band.....	39
Figure 6.9: The input and output return loss of the designed amplifier.....	40
Figure 6.10: Noise figure of designed amplifier.....	41

List of Tables

Table 1: Simulated Result.....	42
--------------------------------	----

Acknowledgements

We would like to greatly thank our supervisor Sir Khawaja Qasim Maqbool for his excellent guidance in this project. His ability to point out the delicate technicalities of the project proved an invaluable resource. We would also like to thank Engr. Ahmad Mushtaq, for his help in the project especially with Chebyshev Multi-section Matching Transformers tool and selection of Microwave transistor for our Low Noise Amplifier (LNA).

Finally, we would like to thank all the faculty of the Department of Electrical Engineering for providing the facilities and excellent work environment for the development of this project.