

Design and Implementation of
Computer Assistance Software for an Electronic
Private Branch Exchange

(Voice Box Application)



MCS Final Project

Syed Zafar Abbas Naqvi
BIMCS, Islamabad

Project supervised by:
Mr. Rashid Karim
(CS Department, BIMCS, Islamabad)

December 2000

Table of contents

Acknowledgment.....	iv
Abstract.....	v
Chapter 1	1
1. Phone System History & Technology.....	2
1.1 The Private Branch Exchange Technology.....	3
1.2 The Automatic PBX.....	4
1.3 The Electronic Key System	5
1.4 Digital Phone Systems	6
Chapter 2	9
2. Voice Box (The Basic Idea)	10
2.1 Problems with Soft-PBXs.....	10
2.2 Computer Limitation.....	10
2.3 The development of a hybrid solution	11
Chapter 3	13
3.1 <i>Implementation of Voice Box</i>	14
3.2 <i>The Voice Box Application</i>	14
3.3 <i>The Architecture of the application</i>	14
Chapter 4	17
4. The Voice Box modules	18
4.1 The Main Dialog Module.....	18
4.1.1 CCTAApp and CAboutDlg.....	18
4.2 The Board Access Module.....	19
4.2.1 The CTA_Port class.....	20
4.3 The Sound Conversion Module	25
4.3.1 The WaveVceConvert class.....	26
4.4 The User Module	27
4.5 The Mail Module	29
4.6 The User Interface.....	29
Chapter 5	36
5 The telephony board and CTAccess API.....	37
5.1 Natural Microsystems	37

Chapter 5	36
5 The telephony board and CTAccess API.....	37
5.1 Natural Microsystems	37
5.1.1 The New Era Of Communications.....	39
5.2 The AG-8/80 telephony board	39
5.2.1 Eight Ports of Voice Processing with Natural Media Options	39
5.2.2 Features.....	40
5.2.3 Configuration	40
5.2.4 Technical Description	41
5.2.5 The programming of Ag-8/80.....	43
5.2.6 The CTAccess API	43
5.2.7 CT Access Services.....	51
5.2.8 Principles of Operation	53
Chapter 6	62
6. Conclusion and future development.....	63
Appendix.....	65
<i>Technical Specifications of AG-8/80</i>	<i>65</i>
References.....	68

Table of Figures

Figure: 3.1 The Voice Box Application Architecture	16
Figure: 4.1 The password dialog	32
Figure: 4.2 The main dialog box	33
Figure: 4.3 The user dialog box	34
Figure: 4.4 The new user dialog box	35
Figure: 5.1 CT Access Overview	43
Figure: 5.2 CT Access Components	45
Figure: 5.3 Application Programming Interface	47
Figure: 5.4 Device Service	48
Figure: 5.5 Integration Service	49
Figure: 5.6 Service Managers	50
Figure: 5.7 Dispatcher	51
Figure: 5.8 CT Access Functionality	52
Figure: 5.9 Asynchronous Programming	54
Figure: 5.10 CTA Contexts	56
Figure: 5.11 Integration Service on a CTA Context	57
Figure: 5.12 Event Queue - Single Queue/Multiple CTA Contexts	58
Figure: 5.13 Command Path for a Voice Message Service Function	59
Figure: 5.14 Event Path	60

Acknowledgment

I would really like to thank all my friends, especially Saeed, Sagar and Hassan for all of their much-needed encouragement and great ideas.

Although that I feel that the work "thanks" is nowhere near to what I feel for them but I thank my family, as they are the whole world for me.

My thanks to all the people from Industrial Technologies Ltd and RWR Pakistan Especially Mr. Zahid Malik for his kind support.

And definitely, Sir Rashid Karim as the completion of this project could not possibly be done without his ever-present help and advice.

Abstract

The purpose of this document is to summarize the development process of a PC-Based telephone exchange with the capability of recording voice messages and delivering the messages via mail. Furthermore, the project also involves multithreaded application development over dedicated telephony hardware using specialized programming environments and APIs.

The development of electronics industry has extremely encouraged the conversion of conventional systems towards more powerful and sophisticated personal computer based systems. The major advantage being the degree of control that one has on a PC. Although, from the past few decades, the telephone industry has also gone through these changes, but a full PC based solution has never been very successful because of the vulnerability of PC towards heavy processing.

The project under discussion suggests the development of a hybrid system that works in the collaboration of conventional telephone exchanges and a personal computer. The project is considered to be most productive and powerful under office environments that are running conventional low-tech digital telephone exchanges