


Wireless Intelligent Networks (WIN)

(Platform and Components of WIN)

by

Usman ul Haq (141022-039)



Supervised by

Ms. Farzana Khan

A report is submitted to the Department of Computer Sciences, Bahria Institute of Management & Computer Sciences

Islamabad

In Partial fulfillment of requirement of degree of MCS

Department of Computer Science
Bahria Institute of Management & Computer Sciences
Islamabad
Bahria University, Islamabad.

Certificate

We accept the work contained in this report as conforming to the required standard for the partial fulfillment of the degree of M.C.S.


IN THE NAME OF

ALLAH



THE MOST GRACIOUS AND COMPASSIONATE
THE MOST MERCIFUL AND BENEIFICENT
WHOSE HELP AND GUIDANCE ALWAYS
SOLICIT AT EVERY STEP
AT EVERY MOMENT

Certificate


We accept the work contained in this report as conforming to the required standard for the partial fulfillment of the degree of **MCS**.



Head of Department




Supervisor



Internal Examiner

(Mr. Shaftab)



External Examiner

(Dr. Isfan)

Abstract

The current communication networks are developing toward the intelligent, broadband and personal orientation. With the network intelligentization, various new telecom services can be generated and implemented rapidly, flexibly, conveniently, economically and effectively. The Intelligent Network (IN) is a new type of architecture used to generate and provide telecom services in order to meet the intelligentization requirements of the communication network. The aim of our project i-e Wireless Intelligent Network (WIN) is to serve all the communication networks, that is, it not only serves the existing telephone network and packet switching network, but also serves the Integrated Service Data Network (ISDN) and mobile communication network, and provide new and flexible services to both the operators and users. The operators can attract more users with new offered services to get more revenue.

Acknowledgments

First and the foremost my profound gratitude to Almighty ALLAH, Whose blessings has made me to complete this task.

No words to describe our sweet sensation of respect about our parents. Solute to our parents for their prayers, support and giving all the love in the world.

Thanks to our supervisor Ms. Farzana for the expert guidance for the project planning, development and documentation. There are many ambiguities in the requirements of project development, but she always simplified and clarified me conflicting points.

We are also thankful to our friends Umair Yasir, Muhammad Zahid Hammad, Muhamad Ikram Ashraf and all of our colleagues whose company and support helped us throughout our project.

Dedications

To my loving parents, without their knowledge, wisdom, and guidance, I would not have the goals I have to strive and be the best to reach my dreams.

Usman ul Haq

Table of contents

ABSTRACT	IV
ACKNOWLEDGMENTS.....	V
DEDICATIONS.....	VI
TABLE OF CONTENTS	VII
TABLE OF TABLES	XI
TABLE OF FIGURES	XII
1 INTRODUCTION	1
1.1 OVERVIEW OF PROJECT.....	1
1.2 CONCEPT AND FEATURES OF INTELLIGENT NETWORK	1
1.3 BACKGROUND FOR THE DEVELOPMENT OF IN	3
1.4 EVOLUTION AND DEVELOPMENT OF IN	4
1.5 FUNCTIONAL REQUIREMENTS OF IN	6
1.6 ARCHITECTURE OF IN	8
1.6.1 <i>Service Switching Point — SSP</i>	8
1.6.2 <i>Service Control Point — SCP</i>	8
1.6.3 <i>Signaling Transfer Point — STP</i>	9
1.6.4 <i>Intelligent Peripherals — IP</i>	9
1.6.5 <i>Service Management System — SMS</i>	9
1.6.6 <i>Service Creation Environment — SCE</i>	9
1.7 IN CALL PROCESSING	10
1.8 BRIEF INTRODUCTION TO TELLIN	11
2 SYSTEM ARCHITECTURE AND FEATURES.....	13
2.1 SYSTEM ARCHITECTURE	13
2.1.1 <i>IN Architecture</i>	13
2.1.2 <i>System Objectives</i>	16
2.1.3 <i>System Functions</i>	16
2.1.4 <i>System Features</i>	17
2.2 TELLIN-SCP	19
2.2.1 <i>Architecture</i>	19
2.2.2 <i>Features</i>	20
2.2.3 <i>Functions</i>	20
2.2.4 <i>Interfaces</i>	21
2.2.5 <i>Requirements for Environment</i>	22
2.3 TELLIN-SDP	23
2.3.1 <i>Features</i>	23
2.3.2 <i>Functions</i>	24
2.3.3 <i>Requirements for Environment</i>	25
2.4 TELLIN-SMS	25
2.4.1 <i>Architecture</i>	25
2.4.2 <i>Features</i>	27
2.4.3 <i>Functions</i>	27
2.4.4 <i>Interfaces</i>	29
2.4.5 <i>Introduction to the Data Synchronization Mechanism of SMP</i>	30
2.4.6 <i>Requirements for Environment</i>	31
2.5 TELLIN-SCEP	31
2.5.1 <i>Architecture</i>	33
2.5.2 <i>Features</i>	33

2.5.3	<i>Functions</i>	33
2.5.4	<i>Operational Environment</i>	34
2.6	TELLIN-OAM.....	35
2.6.1	<i>Architecture</i>	35
2.6.2	<i>System Statistics Functions</i>	37
2.6.3	<i>System Alarm Functions</i>	38
2.6.4	<i>Call Tracing Functions</i>	38
2.7	INRPT.....	39
2.8	INTRODUCTION TO TELLIN WEBSMAP.....	40
3	HIERARCHY OF SIGNALING SYSTEM	43
3.1	ARCHITECTURE OF THE SIGNALING SYSTEM NO. 7.....	43
3.2	BASIC CALL STATE MODEL (CALLING PARTY).....	44
4	TRANSACTION CAPABILITIES APPLICATION PART	47
4.1	BASIC CONCEPT OF TCAP.....	47
4.2	CLASSIFICATION OF TCAP OPERATIONS.....	48
4.3	FUNCTIONAL STRUCTURE OF TCAP.....	49
4.4	TRANSFER OF TCAP.....	50
4.5	RESOLUTION OF TCAP MESSAGE.....	55
4.5.1	<i>Relationship between TCAP and other layers of SS7</i>	55
4.5.2	<i>Message Format of TCAP</i>	56
4.6	SPECIFIC RESOLUTION OF TCAP.....	58
4.7	BRIEF INTRODUCTION TO TCAP PRIMITIVE.....	59
5	INTELLIGENT NETWORK APPLICATION PROTOCOL	61
5.1	OVERVIEW.....	61
5.1.1	<i>Basic Concept</i>	61
5.1.2	<i>Position of INAP in the Functional Structure of SS7</i>	61
5.1.3	<i>Relation between IANP and IN</i>	62
5.1.4	<i>Characteristics of INAP</i>	65
5.2	COMMON INAP OPERATIONS AND THE APPLICATIONS IN THE IN.....	66
5.2.1	<i>Division of IN Functional Entities</i>	66
5.2.2	<i>Common INAP Operations</i>	67
5.3	EXAMPLE 1: SIGNALING FLOW OF ACCOUNT CARD SERVICE.....	68
5.3.1	<i>Flow Chart of Normal Call</i>	68
5.3.2	<i>Analysis of the Service Signaling Flow</i>	70
5.4	EXAMPLE 2: SIGNALING FLOW OF FREEPHONE SERVICE.....	71
5.5	EXAMPLE 3: SIGNALING FLOW OF PREPAID CARD SERVICE.....	73
5.6	EXAMPLE 4: SIGNALING FLOW OF UNIVERSAL PERSONAL TELECOMMUNICATIONS SERVICE.....	76
5.7	EXAMPLE 5: SIGNALING FLOW OF VOT SERVICE.....	78
6	CAMEL APPLICATION PART	80
6.1	OVERVIEW.....	80
6.2	COMMON CAP OPERATIONS.....	80
6.3	SIGNALING FLOW.....	82
6.4	EXAMPLE 1: SIGNALING FLOW OF THE CALL MADE BY A NON-PPS SUBSCRIBER TO A PPS SUBSCRIBER.....	83
6.5	EXAMPLE 2: SIGNALING FLOW OF THE CALL MADE BY A PPS SUBSCRIBER TO A PPS SUBSCRIBER.....	84
6.6	EXAMPLE 3: SIGNALING FLOW OF THE CALL MADE BY A PPS SUBSCRIBER TO A PSTN SUBSCRIBER.....	86
6.7	EXAMPLE 4: SIGNALING FLOW OF QUERYING THE BALANCE BY A PPS SUBSCRIBER.....	87
7	WIN CHARGING	88
7.1	OVERVIEW.....	88

7.2	ARCHITECTURE OF IN CHARGING SYSTEM	88
7.3	INTERFACES IN IN CHARGING SYSTEM	89
7.3.1	<i>Interface Between SSP and SCP</i>	89
7.3.2	<i>Interface Between SSP and Billing Center</i>	90
7.3.3	<i>Interface Between SCP and SMP</i>	90
7.3.4	<i>Interface Between SMP and Settlement Center</i>	90
7.4	PROCESS OF IN CHARGING.....	90
7.5	CHARGING FEATURES OF TELLIN.....	91
7.5.1	<i>TELLIN provides three charging methods:</i>	91
7.5.2	<i>TELLIN provides flexible premiums and premium rates</i>	92
7.5.3	<i>How TELLIN handles discounts</i>	92
7.5.4	<i>TELLIN can classify charging types according to called or calling numbers,</i>	92
7.6	EXAMPLE OF TELLIN CHARGING.....	92
7.6.1	<i>Overview</i>	92
7.6.2	<i>Charging Procedure</i>	93
7.6.3	<i>Call Bills</i>	94
7.6.4	<i>Settlement</i>	95
8	PPS SERVICE	97
8.1	INTRODUCTION TO THE PPS SERVICE	97
8.1.1	<i>PPS Service Overview</i>	97
8.1.2	<i>Advantages of PPS Service</i>	97
8.1.3	<i>Roles in the PPS Service</i>	97
8.1.4	<i>Example of Using PPS Service</i>	98
8.2	INTRODUCTION TO TERMS	99
8.2.1	<i>SIM card</i>	99
8.2.2	<i>First call date</i>	99
8.2.3	<i>Active period</i>	99
8.2.4	<i>SIM card data block</i>	100
8.2.5	<i>SIM card invalidity</i>	100
8.2.6	<i>Suspend period</i>	100
8.2.7	<i>Disable period</i>	100
8.2.8	<i>Service stop date</i>	100
8.2.9	<i>Pool period</i>	101
8.2.10	<i>Recharge card</i>	101
8.2.11	<i>Recharge card password</i>	101
8.2.12	<i>Validity period of a recharge card</i>	101
8.2.13	<i>Recharge card data disqualify</i>	101
8.2.14	<i>Recharge card invalidity</i>	101
8.2.15	<i>Subscriber password</i>	102
8.2.16	<i>Daily Rent</i>	102
8.2.17	<i>Service area</i>	102
8.2.18	<i>Create a subscriber</i>	102
8.2.19	<i>First recharge subscriber</i>	102
8.2.20	<i>Subscriber class</i>	102
8.2.21	<i>Service Class</i>	103
8.2.22	<i>Credit Amount</i>	103
8.2.23	<i>Introduction to Promotion Score</i>	103
8.2.24	<i>Special Number</i>	103
8.3	BASICS OF THE PPS SERVICE PROVISIONING	104
8.3.1	<i>Service Operation Overview</i>	104
8.3.2	<i>System Overview</i>	104
8.3.3	<i>Introduction to the PPS Subsystems</i>	105
8.3.4	<i>Call Processing Flow</i>	107
8.3.5	<i>Introduction to Subscriber State and Life Cycle</i>	109
8.4	SERVICE FEATURES.....	112

8.4.1	Call control.....	113
8.4.2	Promotion Function.....	114
8.4.3	Call Enhancement Function.....	115
8.4.4	System Notification.....	116
8.4.5	Charging Functions.....	118
8.4.6	Recharging Function.....	120
8.4.7	End User Management Function.....	122
8.5	FUNCTIONS OF SERVICE MANAGEMENT AND OPERATION.....	125
8.6	INTRODUCTION TO PPS ON-LINE HELP SYSTEM	125
8.6.1	The Features of On-line Help System.....	125
9	FN SERVICE	128
9.1	BRIEF INTRODUCTION TO THE FN SERVICE.....	128
9.1.1	FN Service Overview.....	128
9.1.2	Advantages of FN Service.....	128
9.1.3	Example of Using FN Service.....	128
9.1.4	Introduction to Terms	129
9.2	SERVICE FEATURES.....	129
9.2.1	Adding FN	130
9.2.2	Modifying FN	130
9.2.3	Activating FN subscribers	130
9.2.4	Deactivating FN subscribers	131
9.2.5	Maintaining FN Service Data.....	131
9.3	FUNCTIONS OF SERVICE MANAGEMENT AND OPERATION.....	132
9.3.1	Introduction to FN Online Help System	132
9.3.2	Introduction to FN Management Interface.....	133
10	VPN SERVICE	135
10.1	OVERVIEW	135
10.1.1	About the VPN Service.....	135
10.1.2	Advantages of VPN service.....	135
10.1.3	Roles in the VPN Service.....	135
10.1.4	Basic Concepts and Terms.....	136
10.2	SERVICE FEATURES.....	139
10.2.1	Group Function	139
10.3	RELEVANT DESCRIPTION OF SERVICE OPERATION.....	151
10.3.1	Routine Management Tasks of Service Operation.....	151
10.3.2	Numbering Plan.....	153
10.3.3	VPN Service Networking	153
10.3.4	VPN Service Management	157
10.4	ROUTINE MAINTENANCE TASKS	159
10.4.1	Configuring VPN Service Date.....	159
10.4.2	Creating VPN Group	162
APPENDIX A	ABBREVIATIONS.....	166
APPENDIX B	REFERENCES.....	174
APPENDIX C	SNAPSHOTS OF SOFTWARE INTERFACES.....	175

Table of Tables

Table 1-1 ITU-T recommendations about IN	6
Table 2-1 TELIN System Parts	13
Table 7-1 Call Bill for User 700	94
Table 7-2 Call Bill for Calling User	95
Table 8-1 Networking of the PPS service system	105
Table 8-2 general feature structure of the PPS service.....	113
Table 8-3 Charging tariff for calling.....	118
Table 8-4 Comparison between what is in on-line help and what is in manual.....	126
Table 10-1 Management tasks on service operation.....	153
Table 10-2 System networking diagram (target network).....	154
Table 10-3 Description of the shortcut key on SMAP management interface.....	158
Table 10-4 Global Service Data parameters	160
Table 10-5 VPN Service Data parameters	161
Table 10-6 VPN Fee Management parameters.....	161
Table 10-7 VPN ISDN Type parameters.....	161
Table 10-8 Add Group parameters	163
Table 10-9 Add Group Members in Batch parameters	164

Table of Figures

Figure 1-1 Scope of IN Application	2
Figure 1-2 Intelligent Network	4
Figure 1-3 Architecture of IN/2.....	5
Figure 1-4 Architecture of IN/1+	5
Figure 1-5 Relation between service requirements, network requirements and IN functions.....	7
Figure 1-6 Relation between IN Network functions and demands	7
Figure 1-7 Architecture of IN.....	8
Figure 1-8 Creation and loading of new services.....	10
Figure 1-9 Basic flow of IN call processing	11
Figure 1-10 Architecture of TELLIN	12
Figure 2-1 Typical Architecture of TELLIN	14
Figure 2-2 Architecture of SCP.....	19
Figure 2-3 Architecture of SMP	27
Figure 2-4 the life cycle of a service	29
Figure 2-5 The interface for service logic editing in TELLIN-SCEP	32
Figure 2-6.....	35
Figure 2-7 Architecture of OAM system.....	35
Figure 2-8 Networking between the OAM and NM systems.....	37
Figure 2-9 Architecture of the INRPT system.....	39
Figure 2-10 Location of WebSMAP in the IN system	41
Figure 2-11 The service processing flow of WebSMAP	41
Figure 2-12 Architecture of the TELLIN system	42
Figure 3-1 The architecture of the SS7	43
Figure 3-2 Basic call state model (calling party)	45
Figure 4-1 Functional structure of TCAP	49
Figure 4-2 Session between SSP and SCP	51
Figure 4-3 process of a TC user sending a component to the peer.....	53
Figure 4-4 Relationship between TCAP and other lays of SS7 (1).....	55
Figure 4-5 Relationship between TCAP and other layers of SS7 (2).....	55
Figure 4-6 Message format of TCAP	56
Figure 4-7 Example of TCAP message	58
Figure 5-1 The position of INAP in the functional structure of SS7.....	61
Figure 5-2 The position of INAP in the IN (1).....	63
Figure 5-3 The position of INAP in the IN (2).....	63
Figure 5-4 IN architecture.....	64
Figure 5-5 Signaling flow of account card service (300 service).....	69
Figure 5-6 Signaling flow chart of FPH service	72
Figure 5-7 Signaling flow chart of FPH service	72

Figure 5-8 Signaling flow chart of PCS	74
Figure 5-9 Signaling flow chart of PCS	75
Figure 5-10 Signaling flow of UPT service (incoming calls)	77
Figure 5-11 Signaling flow of UPT service (outgoing calls)	78
Figure 5-12 Signaling flow chart of VOT service	79
Figure 6-1 A call made by a PPS subscriber to a PSTN subscriber	86
Figure 7-1 Architecture of Charging System	88
Figure 7-2 Charging operation interface between SCP and SSP	89
Figure 8-1 Typical Network of PPS Service	105
Figure 8-2 PPS calling flow	107
Figure 8-3 PPS called flow	108
Figure 8-4 State Transitions within a PPS Subscriber Account Life Cycle	110
Figure 8-5 PPS service management window	127
Figure 9-1 FN service management window	134
Figure 10-1 VPN service framework	154
Figure 10-2 VPN calling flow	155
Figure 10-3 SMAP system management window	158
Figure 10-4 VPN service management window	158
Figure 10-5 WEBSMAP Management Interface of VPN Service	159