

2D SEISMIC STRUCTURAL INTERPRETATION OF CHAKWAL, EASTERN POTWAR, PAKISTAN



By

Bilal Tariq

Master's in Science - Geophysics

**FACULTY OF EARTH AND ENVIRONMENTAL SCIENCES
BAHRIA UNIVERSITY, ISLAMABAD**

Table of Contents

1. Introduction	1
1.1. Study Area.....	1
1.2. Purpose of study	5
1.3. Exploration History.....	5
1.4. Exploration in Potwar Basin	5
1.5. Exploration in Joyamair and Chaknaurang	5
2. Geology of the area	7
2.1. General Geology Of Potwar Plateau.....	7
2.1.1. Northwest Himalayan Fold and Thrust Belt	8
2.1.2. Potwar Plateau	8
2.1.3. Stuctural Style of Potwar Plateau	10
2.1.4. Major faults of Potwar Plateau.....	10
1.1.1.1. Khair-i-Murat Fault (KMF)	10
1.1.1.2. Dhurnal Back thrust (DBT)	11
1.1.1.3. Kanet Fault (KF).....	11
1.1.1.4. Sakhwal Fault (SF)	11
1.1.1.5. Mianwali Fault (MF):	11
1.1.1.6. Riwat Fault (RF):.....	12
2.1.5. Other Structures Present in the Area:.....	12
1.1.1.7. Soan Syncline:	12
1.1.1.8. Chak Naurang Anticline:	12
1.1.1.9. Mahesian Anticline:.....	13
1.1.1.10. Tanwin-Banis Anticline:.....	13
1.1.1.11. Adhi-Gungril Anticlines:.....	13
1.1.1.12. Joya Mair Anticline:.....	13
1.1.1.13. Dhurnal Anticline:.....	14
2.2. Regional Stratigraphic History	16
3. Seismic Acquisition.....	19
3.1. Survey information	20

3.1.1. Channel	20
3.1.2. Sample rate	20
3.2. Source information.....	21
3.2.1. Source Type	21
3.2.2. V.P. Interval	22
3.2.3. VIBS pattern	22
3.2.4. Record length	22
3.2.5. Sweep length.....	22
3.2.6. Sweep frequency.....	22
3.3. Receiver information.....	23
3.3.1. Seismic Detectors.....	23
3.4. Survey Pattern information	24
4. Seismic Data Processing.....	26
4.1. Primary Stages of Seismic Data Processing	26
4.2. Processing Sequence.....	26
4.2.1. Data Reduction.....	27
4.2.2. Demultiplexing:	27
4.2.3. Correlation.....	28
4.2.4. Vibroseis correlation:	29
4.2.5. Header Generation:	31
4.2.6. Display:.....	31
4.2.7. Editing and Muting:.....	32
4.2.8. Amplitude adjustment:	32
4.3. Geometric Corrections.....	34
4.4. Trace Gathering (CDP sort):.....	38
4.5. Data Analysis and Parameter Optimization	40
4.5.1. Filtering:.....	40
4.6. Seismic Noise:	41
4.6.1. Coherent Noise:.....	41
4.6.2. Incoherent Noise:	43
4.7. Deconvolution / Inverse Filter:	43

4.7.1. Velocity Analysis:.....	45
4.8. Data Refinement:.....	47
4.8.1. Stacking:.....	47
4.8.2. Residual Statics:.....	48
4.9. Migration:.....	48
4.9.1. Important features of Migration	49
4.9.2. Types of Migration	49
4.9.3. Pre-Stack Migration	49
4.9.4. Post-Stack Migration	50
5. Interpretation	52
5.1. Introduction	52
5.2. Sequence of structural interpretation	52
5.2.1. Identification of events on seismic section.....	52
5.2.2. Time picking	54
5.2.3. Time Contour Map	56
5.2.4. Construction of Iso-Velocity Map:	59
5.2.5. Depth section.....	62
6. Conclusions	71
7. Interpreted Seismic Sections	72
9. Reference:	79

Abstract

The seismic lines lie in Chaknaurang area in the Potwar foreland basin. The data acquisition and processing was done by OGDCL.

Marking of prominent reflector in the seismic section along the lines. Depth section was constructed with the help of given velocity information. Depth sections shows most probably the thin skinned deformation in cover rocks.

Time contour map of the area made by time reading of chorgali formation in five seismic lines.

There are two major breaks in the burial history of the area. One is from Ordovician to carboniferous because the whole Potwar basin was uplifted during that time. The other is from late Permian to cretaceous because the rocks from west to east in Potwar basin were eroded due to significant pre-Paleocene tectonic uplift.